

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/614,558	07/07/2003	David E. Jones	2037.1010-002	5801
21005 7590 02/05/2008 HAMILTON, BROOK, SMITH & REYNOLDS, P.C. 530 VIRGINIA ROAD			EXAMINER	
			FOUD, HICHAM B	
	P.O. BOX 9133 CONCORD, MA 01742-9133		ART UNIT	PAPER NUMBER
CONCORD, IV			2619	
			MAIL DATE	DELIVERY MODE
			02/05/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
d	10/614,558	JONES, DAVID E.				
Office Action Summary	Examiner	Art Unit				
•	Hicham B. Foud	2619				
The MAILING DATE of this communication app						
Period for Reply		·				
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailling date of this communication. - If NO period for reply is specified above, the maximum statutory period or - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status	•					
1) Responsive to communication(s) filed on 03 D	ecember 2007.					
·- ·						
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
. 4)⊠ Claim(s) <u>1-13 and 18-21</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-13 and 18-21</u> is/are rejected.	☑ Claim(s) <u>1-13 and 18-21</u> is/are rejected.					
7) Claim(s) is/are objected to.	Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9)⊠ The specification is objected to by the Examine	er.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) ☐ The oath or declaration is objected to by the Ex	xaminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)☐ All b)☐ Some * c)☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prio	rity documents have been receive	ed in this National Stage '				
application from the International Burea	' ' '					
* See the attached detailed Office action for a list	of the certified copies not receive	ed.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Do 5) Notice of Informal F					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:					

10/614,558 Art Unit: 2619

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/03/2007 has been entered.

Response to Amendment

- 2. The amendment filed on 12-03-2007 has been entered and considered.
 - Claims 1-21 are pending in this application.
 - Claims 22-25 have been canceled.
 - Claims 1-21 remain rejected as discussed below.

Specification

3. The abstract of the disclosure is objected to because it does not describe the claimed subject matter. Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

10/614,558 Art Unit: 2619

4. Claims 1, 2, 6-7, 11, 18 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Joffe (5,440,523) in view of Toda et al (5,612,925).

For claim 1, Joffe discloses a memory array (see figure 1; shared memory); a plurality of input ports (see Figure 1; ports 1-k), the memory array for storing packet data received by the plurality of input ports being shared by the plurality of input ports (see figure 1, shared memory) and a plurality of serial registers each associated with a different one of the plurality of input ports (see Figure 1, memory access buffer is associated with each port), each of the serial registers configured for simultaneously receiving packet data from the associated input port and writing packet data to the memory array (see Figure 1, see the connection between the ports, the memory access buffer and the shared memory k x m). Joffe discloses all the subject matter with the exception of explicitly showing the plurality of input ports to be coupled to a network controller device and wherein each of the serial registers further being segmented into a plurality of segments, segments of respective serial registers being associated with corresponding portions of the memory array, segments of different serial registers simultaneously transferring packet data to different portions of the memory array. However, Toda et al discloses a packet buffer random access memory (PBRAM) device, comprising: a plurality of input ports to be coupled to a network controller device (see Figure 16 element 164, I/O section is coupled to a control section which is element 166), the serial registers further being segmented into a plurality of segments, segments of respective serial registers being associated with corresponding portions of the

10/614,558 Art Unit: 2619

memory array(see Figure 16 wherein the section 164 is segmented to a plurality of segments that are associated to a corresponding memory cell group), segments of different serial registers simultaneously transferring packet data to different portions of the memory array (see column 12 lines 8-12). Thus, it would have been obvious to the one skill in the art at the time of the invention to use the method of Toda et al into the system of Joffe by modifying each memory access buffer with Toda's serial registers and add the control section coupled to the ports for the purpose of serially inputting packets to the serial registers and outputting them in parallel to the shared memory for faster queuing and increasing the efficiency of the system.

For claim 2, Toda et al discloses a packet buffer random access memory (PBRAM) device wherein packet data is transferred into one segment of a serial register as data is simultaneously transferred out of another segment of the serial register (see Figure 16, the connection between the I/O, serial registers and the memory and see column 12 lines 8-12).

For claims 6, 11 and 21 are rejected because it would have been obvious over the claimed invention of Joffe in view of Toda et al to have the memory array as a single global memory. The difference between the memory array as taught by the invention of Toda et al and the single global memory is that the memory array is a specific arrangement of memory that can be depending on different factors such as data type, and the single global memory is a regular memory that holds all data without any specific arrangement. Therefore, an official notice is taken in that a memory array can be arranged as a single global memory. Thus, it would have been obvious to the

10/614,558 Art Unit: 2619

person of ordinary skill in the art at the time of the invention to have the memory array as a single global memory. The motivation of having the memory array as a single global memory is being that it allows all the stored data in the memory available to all the ports and for simplicity.

Claim 7 is rejected for same reasons as claim 1, since claim 7 is the method carried out by the system of claim 1.

For claim 18 is rejected for same reasons as claim 7, since claims 18 is the apparatus carried out by the method of claim 7.

5. Claims 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Toda et al (5,612,925) in view of Joffe (5,440,523).

For claim 12, Toda et al discloses a packet buffer random access memory (PBRAM) device comprising: a memory array (see figure 16 element 162 wherein the is arranged by cell group); a plurality of input ports coupled to the memory array by serial registers for conveying data to the memory array (see Figure 16 element 164 is connected to I/O which is element 164), the memory array for storing packet data received by the plurality of ports being shared by the plurality of input ports (see Figure 16, wherein the connection between the I/O and serial registers and the memory cell group); a plurality of command ports for receiving commands that indicate desired operations to be performed in relation to the data conveyed on the input and output ports (see Figure 16, wherein the element 166 which is control section send commands to the data section to perform the desired operations); and a memory management unit coupled between the

10/614,558 Art Unit: 2619

command ports and the memory array (see Figure 16, elements 163, 168 and 165), the memory management unit establishing input queue structures within the memory array responsive to write commands issued on the command ports (see figure 16, wherein element 163 is connected to the control section 166), the input queue structures for receiving pointers to locations in a packet table that point to the data that is conveyed from the input ports (see figure 16, element 163 which comprises of addresses of the data in the memory and designates the memory cells which are to be accessed (see column 5 lines 11-15)). Toda et al discloses all the subject matter with the exception of wherein each of the serial registers being associated with a different one of the input ports. However, Joffe discloses that each input port is associated with a different one of serial registers (see Figure 1, memory access buffer 1-k). Thus, it would have been obvious to the one skill in the art at the time of the invention to use the method of joffe into the system of Toda et al by associating every input port with the memory access buffers as taught by the invention of Joffe for the purpose of serially inputting packets to the serial registers and outputting them in parallel to the shared memory for faster queuing and increasing the efficiency of the system.

Claim 13 is rejected because it would have been obvious over the claimed invention of Toda et al in view of Joffe to have the memory array as a single global memory. The difference between the memory array as taught by the invention of Toda et al and the single global memory is that the memory array is a specific arrangement of memory that can be depending on different factors such as data type, and the single global memory is a regular memory that holds all data without any specific arrangement. Therefore, an

10/614,558 Art Unit: 2619

official notice is taken in that a memory array can be arranged as a single global memory. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to have the memory array as a single global memory. The motivation of having the memory array as a single global memory is being that it allows all the stored data in the memory available to all the ports and for simplicity.

6. Claims 3-5, 8-10, 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Joffe in view of Toda et al and further in view of Zuravleff et al (5,867,735).

For claims 3-5, 8-10, 19 and 20, Joffe in view of Toda et al discloses all the subject matter with the exception of wherein a portion of the memory array is a queue, the queue includes a plurality of sub-queues and each sub-queue assigned a priority level wherein packet data is read from the sub-queue with the highest priority level that stores data. However, the invention of Zuravleff et al from the same or similar fields of endeavor shows that a portion of the memory array is a queue (see column 6 lines 65-66, wherein elements 114 are queues), the queue includes a plurality of sub-queues (see column 10 lines 25-27, wherein elements 114 are divided to elements 214 which are subqueues) and each sub-queue assigned a priority level (see column 10 lines 31-32 wherein each subqueue has a unique priority level) wherein packet data is read from the sub-queue with the highest priority level that stores data (see column 10 lines 39-42 wherein the highest priority level subqueues are read first). Thus, it would have been obvious to the person of ordinary skill in the art at the time of invention to use the division of queues to subqueues and the method of priority level of subqueues as taught

10/614,558 Art Unit: 2619

by the invention of Zuravleff et al in the invention of Toda et al in view of Joffe. The motivation of having a portion of the memory array as a queue, wherein the queue includes a plurality of sub-queues, each sub-queue assigned a priority level and wherein packet data is read from the sub-queue with the highest priority level that stores data is being that is gives a good arrangement to the memory for easier function by dividing a queue to a plurality of sub-queues, and read the packet data that were stored in subqueues which are assigned a highest priority level to them before any other subqueues to reduce the effect of memory latency.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claim14 is rejected under 35 U.S.C. 102(b) as being anticipated by Toda et al (5,612,925).

For claim 14, Toda et al discloses a method for storing packets transferred across a computer network in a packet buffer random access memory (PBRAM) device, comprising the steps of: receiving a packet from a controller coupled to the computer network by one of a plurality of input ports of the PBRAM device (see figure 16, element 164 wherein data is shared by I/O); storing the packet in a physical location of a memory array of the PBRAM device (see figure 16, element 162 wherein data is

10/614,558 Art Unit: 2619

stored), the memory array being shared by the plurality of input ports (see figure 16, element 164 wherein data is shared by I/O); storing a pointer to the physical location in an entry of a packet table in the memory array (see figure 16, element 162 wherein data is stored); storing a pointer to the entry in the packet table in an input queue structure, contained in the memory array of the PBRAM device (see figure 16, element 163 which comprises addresses of the data in the memory and designates the memory cells which are to be accessed (see column 5 lines 11-15)); and the input queue structure being further accessible by a plurality of output ports of the PBRAM device such that the pointer in the input queue structure is transferred to an associated output queue structure (see Figure 16 wherein element 163 is connected to I/O (element 164) through the control section (element 166) and the addresses of the data stored in the memory is inherent to the pointers are in the element 163 which is considered both input and output queue).

8. Claims 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Toda et al in view of Zuravleff et al (5,867,735).

For claims 15-16, Toda et al discloses all the subject matter with the exception of wherein a portion of the memory array is a queue, the queue includes a plurality of subqueues and each sub-queue assigned a priority level wherein packet data is read from the sub-queue with the highest priority level that stores data. However, the invention of Zuravleff et al from the same or similar fields of endeavor shows that a portion of the memory array is a queue (see column 6 lines 65-66, wherein elements 114 are queues), the queue includes a plurality of sub-queues (see column 10 lines 25-27,

10/614,558 Art Unit: 2619

wherein elements 114 are divided to elements 214 which are subqueues) and each sub-queue assigned a priority level (see column 10 lines 31-32 wherein each subqueue has a unique priority level) wherein packet data is read from the sub-queue with the highest priority level that stores data (see column 10 lines 39-42 wherein the highest priority level subqueues are read first). Thus, it would have been obvious to the person of ordinary skill in the art at the time of invention to use the division of queues to subqueues and the method of priority level of subqueues as taught by the invention of Zuravleff et al in the invention of Toda et al in view of Joffe. The motivation of having a portion of the memory array as a queue, wherein the queue includes a plurality of subqueues, each sub-queue assigned a priority level and wherein packet data is read from the sub-queue with the highest priority level that stores data is being that is gives a good arrangement to the memory for easier function by dividing a queue to a plurality of sub-queues, and read the packet data that were stored in subqueues which are assigned a highest priority level to them before any other subqueues to reduce the effect of memory latency.

Claim 17 is rejected because it would have been obvious over the claimed invention of Toda et al to have the memory array as a single global memory. The difference between the memory array as taught by the invention of Toda et al and the single global memory is that the memory array is a specific arrangement of memory that can be depending on different factors such as data type, and the single global memory is a regular memory that holds all data without any specific arrangement. Therefore, an official notice is taken in that a memory array can be arranged as a single global

memory. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to have the memory array as a single global memory. The motivation of having the memory array as a single global memory is being that it allows all the stored data in the memory available to all the ports and for simplicity.

Response to Arguments

9. Applicant's arguments with respect to claims 1-13 and 18-21 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.
- 11. Examiner's Note: Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner. In the case of amending the claimed invention, Applicant is respectfully requested to indicate the portion(s) of the specification which dictate(s) the structure relied on for proper interpretation and also to verify and ascertain the metes and bounds of the claimed invention.

When responding to this office action, applicants are advised to clearly point out the patentable novelty which they think the claims present in view of the state of the art disclosed by the references cited or the objections made. Applicants must also show how the amendments avoid such references or objections. See 37C.F.R 1.111(c). In addition, applicants are advised to provide the examiner with the line numbers and pages numbers in the application and/or references cited to assist examiner in locating the appropriate paragraphs.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hicham B. Foud whose telephone number is 571-270-1463. The examiner can normally be reached on Monday - Thursday 10-3 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau T. Nguyen can be reached on 571-272-3126. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

(HF)

Hicham Foud 01/29/2008

CHAU NGUYEN

Chone I. New

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600